






Dimension	Betriebskennung	M+S, 3PMSF				EPREL Link	
Tiefelader-Radial-Reifen							
15 Zoll							
7.50 R 15	135/133G (134/132K)		D	C	71	A	https://eprel.ec.europa.eu/qr/525839
8.25 R 15	143/141G (141/140K)	M+S, 3PMSF	D	C	71	A	https://eprel.ec.europa.eu/qr/525762
205/70 R 15	124/122K		D	C	70	A	https://eprel.ec.europa.eu/qr/505951
17.5 Zoll							
215/75 R 17.5	135/133K	M+S	D	C	73	B	https://eprel.ec.europa.eu/qr/481573
215/75 R 17.5	135/133K	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/505886
235/75 R 17.5	143/141K (144/144F)	M+S	C	C	71	B	https://eprel.ec.europa.eu/qr/481361
235/75 R 17.5	143/141K (144/144F)	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/505807
245/70 R 17.5	143/141L (146/146F)		C	C	70	A	https://eprel.ec.europa.eu/qr/481571
245/70 R 17.5	143/141L (146/146F)	M+S	C	C	71	B	https://eprel.ec.europa.eu/qr/481460
245/70 R 17.5	143/141L (146/146F)	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/505897
205/65 R 17.5	132/130J (133/133F)	M+S	D	C	70	A	https://eprel.ec.europa.eu/qr/481609
205/65 R 17.5	132/130J (133/133G)	M+S	D	C	70	A	https://eprel.ec.europa.eu/qr/634971
19.5 Zoll							
245/70 R 19.5	141/140K	M+S	C	B	73	B	https://eprel.ec.europa.eu/qr/482561
265/70 R 19.5	143/141K	M+S	C	B	73	B	https://eprel.ec.europa.eu/qr/483158
265/70 R 19.5	143/141K	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/505920
285/70 R 19.5	150/148K	M+S	C	B	73	B	https://eprel.ec.europa.eu/qr/482851
285/70 R 19.5	150/148K	M+S, 3PMSF	C	C	72	B	https://eprel.ec.europa.eu/qr/505815
385/55 R 19.5	156J	M+S	B	C	70	A	https://eprel.ec.europa.eu/qr/481255

435/50 R 19.5	160J	M+S	B	C	72	B	https://eprel.ec.europa.eu/qr/482853
445/45 R 19.5	160J	M+S	B	C	72	B	https://eprel.ec.europa.eu/qr/483159
445/45 R 19.5	160J	M+S, 3PMSF	C	C	73	B	https://eprel.ec.europa.eu/qr/505804
Lkw-Radial-Reifen							
22.5 Zoll							
11 R 22.5	148/145L		C	C	70	A	https://eprel.ec.europa.eu/qr/505932
315/80 R 22.5	156/150K		C	C	72	B	https://eprel.ec.europa.eu/qr/505871
275/70 R 22.5	148/145J	M+S, 3PMSF					Noch nicht verfügbar
385/65 R 22.5	160K (158L)		A	C	69	A	https://eprel.ec.europa.eu/qr/481353
385/65 R 22.5	160K (158L)	M+S	B	B	70	A	https://eprel.ec.europa.eu/qr/481313
385/65 R 22.5	160K (158L)	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/481878
385/65 R 22.5	164K	M+S	B	B	70	A	https://eprel.ec.europa.eu/qr/481315
385/65 R 22.5	164K (158L)	M+S, 3PMSF					Noch nicht verfügbar
385/65 R 22.5	160K (158L)	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/505919
385/65 R 22.5	160K (158L)	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/481877
425/65 R 22.5	165K	M+S	B	C	73	B	https://eprel.ec.europa.eu/qr/483143
445/65 R 22.5	169K		C	C	73	B	https://eprel.ec.europa.eu/qr/483069
425/65 R 22.5	165K	M+S, 3PMSF	C	C	74	B	https://eprel.ec.europa.eu/qr/481530
445/65 R 22.5	169K	M+S	C	C	74	B	https://eprel.ec.europa.eu/qr/481601
385/55 R 22.5	160K (158L)		A	C	69	A	https://eprel.ec.europa.eu/qr/481264
385/55 R 22.5	160K (158L)	M+S	B	B	70	A	https://eprel.ec.europa.eu/qr/481254
385/55 R 22.5	160K (158L)	M+S, 3PMSF					Noch nicht verfügbar



Dimension	Betriebskennung	M+S, 3PMSF					EPREL Link
LKW-Radial-Reifen							
17.5 Zoll							
205/75 R 17.5	124/122M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481383
205/75 R 17.5	124/122M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505813
215/75 R 17.5	126/124M	M+S, 3PMSF	D	B	71	A	https://eprel.ec.europa.eu/qr/505898
215/75 R 17.5	126/124M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505814
215/75 R 17.5	126/124M	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/505893
215/75 R 17.5	126/124M	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/525778
225/75 R 17.5	129/127M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481270
225/75 R 17.5	129/127M	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/525704
235/75 R 17.5	132/130M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481268
235/75 R 17.5	132/130M	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/525708
235/75 R 17.5	132/130M	M+S, 3PMSF	C	C	73	B	https://eprel.ec.europa.eu/qr/483341
235/75 R 17.5	132/130M	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/525745
245/70 R 17.5	136/134M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481248
245/70 R 17.5	136/134M	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/525838
265/70 R 17.5	139/136M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481761
265/70 R 17.5	139/136M	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/525706
265/70 R 17.5	139/136M	M+S	D	C	74	A	https://eprel.ec.europa.eu/qr/587922
19.5 Zoll							
245/70 R 19.5	136/134M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481273
245/70 R 19.5	136/134M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505824
245/70 R 19.5	136/134M	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481454

265/70 R 19.5	140/138M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481250
265/70 R 19.5	140/138M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505822
265/70 R 19.5	140/138M	M+S, 3PMSF	C	C	73	B	https://eprel.ec.europa.eu/qr/483025
265/70 R 19.5	140/138M	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/506062
265/70 R 19.5	140/138M	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481455
285/70 R 19.5	146/144M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481262
285/70 R 19.5	146/144M	M+S, 3PMSF	C	C	74	B	https://eprel.ec.europa.eu/qr/481410
285/70 R 19.5	146/144M	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/505912
285/70 R 19.5	146/144M	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/525742
305/70 R 19.5	148/145M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/587944
305/70 R 19.5	148/145M	M+S, 3PMSF	C	C	76	B	https://eprel.ec.europa.eu/qr/481283
20 Zoll							
10.00 R 20	146/143K		D	C	73	B	https://eprel.ec.europa.eu/qr/587944
12.00 R 20	154/150K		C	C	73	B	https://eprel.ec.europa.eu/qr/587944
12.00 R 20	154/150K	M+S, 3PMSF	E	C	76	B	https://eprel.ec.europa.eu/qr/587944
14.00 R 20	160/157K	M+S					
14.00 R 20	160/157K	M+S					
14.00 R 20	164/160K (166/160G)	M+S					
365/85 R 20	164J	M+S					
395/85 R 20	168J (166K)	M+S					
22.5 Zoll							
9 R 22.5	133/131L		D	C	70	A	https://eprel.ec.europa.eu/qr/481407
10 R 22.5	144/142K		D	C	70	A	https://eprel.ec.europa.eu/qr/481408
10 R 22.5	144/142K	M+S, 3PMSF	E	C	73	B	https://eprel.ec.europa.eu/qr/525818
10 R 22.5	140/138K	M+S					
11 R 22.5	148/145L		C	C	70	A	https://eprel.ec.europa.eu/qr/505917
11 R 22.5	148/145L	M+S, 3PMSF	E	C	75	B	https://eprel.ec.europa.eu/qr/506206
11 R 22.5	148/145J		E	C	70	A	Noch nicht verfügbar
11 R 22.5	148/145K	M+S	D	C	73	B	https://eprel.ec.europa.eu/qr/483068
12 R 22.5	152/148L (150/148M)	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481279
12 R 22.5	152/148K	M+S, 3PMSF	D	C	72	B	https://eprel.ec.europa.eu/qr/525767

13 R 22.5	154/150L (156/150K)		D	C	70	A	https://eprel.ec.europa.eu/qr/506056
13 R 22.5	154/150K	M+S, 3PMSF	E	C	74	B	https://eprel.ec.europa.eu/qr/505895
13 R 22.5	156/150K	M+S	D	C	73	B	https://eprel.ec.europa.eu/qr/482209
13 R 22.5	156/150K	M+S, 3PMSF	D	B	70	A	https://eprel.ec.europa.eu/qr/505801
13 R 22.5	156/150K	M+S, 3PMSF	E	B	75	B	https://eprel.ec.europa.eu/qr/505887
13 R 22.5	154/150G	M+S					
13 R 22.5	149/146J	M+S					
295/80 R 22.5	152/148M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505888
295/80 R 22.5	154/149M	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481354
295/80 R 22.5	152/148M	M+S, 3PMSF	D	B	73	A	https://eprel.ec.europa.eu/qr/506202
295/80 R 22.5	154/149M	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481381
295/80 R 22.5	152/148M	M+S, 3PMSF	C	C	73	A	https://eprel.ec.europa.eu/qr/482591
295/80 R 22.5	152/148M	M+S, 3PMSF					https://eprel.ec.europa.eu/qr/482959
295/80 R 22.5	152/148M	M+S, 3PMSF					https://eprel.ec.europa.eu/qr/505885
295/80 R 22.5	152/148M	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/506200
295/80 R 22.5	154/149M	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/506201
295/80 R 22.5	154/149M	M+S, 3PMSF	D	B	76	B	https://eprel.ec.europa.eu/qr/525741
295/80 R 22.5	154/149M	M+S, 3PMSF	B	A	70	A	https://eprel.ec.europa.eu/qr/481258
295/80 R 22.5	154/149M	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/483154
295/80 R 22.5	154/149M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481879
295/80 R 22.5	152/148J		D	C	70	A	https://eprel.ec.europa.eu/qr/525819
295/80 R 22.5	154/149K	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/481889
295/80 R 22.5	152/148K	M+S, 3PMSF	D	B	74	B	https://eprel.ec.europa.eu/qr/525809
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	69	A	https://eprel.ec.europa.eu/qr/481267
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	72	A	https://eprel.ec.europa.eu/qr/505825
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481528
315/80 R 22.5	158/150L		C	C	73	B	https://eprel.ec.europa.eu/qr/505850
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481280
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	D	B	73	A	https://eprel.ec.europa.eu/qr/505875
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	C	73	A	https://eprel.ec.europa.eu/qr/482649
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF					https://eprel.ec.europa.eu/qr/483181
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/506192
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF					https://eprel.ec.europa.eu/qr/506199

315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	A	71	A	https://eprel.ec.europa.eu/qr/481633
315/80 R 22.5	156/150K	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/481759
315/80 R 22.5	156/150K	M+S, 3PMSF	D	B	76	B	https://eprel.ec.europa.eu/qr/525810
315/80 R 22.5	156/150G	M+S					
255/70 R 22.5	140/137M (142/140L)		C	C	69	A	https://eprel.ec.europa.eu/qr/505915
255/70 R 22.5	140/137M (142/140L)		D	C	69	A	https://eprel.ec.europa.eu/qr/481507
255/70 R 22.5	140/137M (142/140L)	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/506205
275/70 R 22.5	148/145M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481269
275/70 R 22.5	148/145M	M+S, 3PMSF	D	B	73	A	https://eprel.ec.europa.eu/qr/505829
275/70 R 22.5	150/145J (152/148E)	M+S, 3PMSF	D	C	73	B	https://eprel.ec.europa.eu/qr/505924
275/70 R 22.5	150/145J (152/148E)	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/525736
275/70 R 22.5	150/145J (152/148E)		C	B	70	A	https://eprel.ec.europa.eu/qr/505879
275/70 R 22.5	152/148J	M+S, 3PMSF	D	B	70	A	https://eprel.ec.europa.eu/qr/505876
275/70 R 22.5	148/145M	M+S, 3PMSF	E	C	75	B	https://eprel.ec.europa.eu/qr/525817
305/70 R 22.5	152/148L (150/148M)		C	B	70	A	https://eprel.ec.europa.eu/qr/505914
305/70 R 22.5	150/148M	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/506053
305/70 R 22.5	152/148K (154/150E)	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481719
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	69	A	https://eprel.ec.europa.eu/qr/481382
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	B	B	72	A	https://eprel.ec.europa.eu/qr/505873
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481317
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481281
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/482589
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	C	C	73	A	https://eprel.ec.europa.eu/qr/482464
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/483111
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	D	B	75	B	https://eprel.ec.europa.eu/qr/505892
385/65 R 22.5	164K	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481632
385/65 R 22.5	160K (158L)	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481710
385/65 R 22.5	164K	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481692
385/65 R 22.5	164K (158L)	M+S, 3PMSF	C	B	74	B	https://eprel.ec.europa.eu/qr/481288
385/65 R 22.5	160K (158L)	M+S, 3PMSF	C	B	72	B	https://eprel.ec.europa.eu/qr/481630
385/65 R 22.5	164K	M+S	C	B	72	B	https://eprel.ec.europa.eu/qr/481631
385/65 R 22.5	162K (164J)	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/505894
295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481259




295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	72	A	https://eprel.ec.europa.eu/qr/505937
295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/482593
295/60 R 22.5	150/147L	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/505803
315/60 R 22.5	154/150L	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481346
315/60 R 22.5	152/148L	M+S, 3PMSF	C	B	75	B	https://eprel.ec.europa.eu/qr/482590
315/60 R 22.5	152/148L	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/482650
315/60 R 22.5	154/150L	M+S, 3PMSF	C	C	73	B	https://eprel.ec.europa.eu/qr/483377
315/60 R 22.5	152/148L	M+S, 3PMSF	D	C	75	B	https://eprel.ec.europa.eu/qr/505802
315/60 R 22.5	156/150J	M+S, 3PMSF	C	C	71	A	https://eprel.ec.europa.eu/qr/481693
315/60 R 22.5	152/148J (154/150E)	M+S, 3PMSF	C	C	71	A	https://eprel.ec.europa.eu/qr/481813
295/55 R 22.5	147/145K	M+S, 3PMSF	C	B	72	A	https://eprel.ec.europa.eu/qr/505938
295/55 R 22.5	147/145K	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/482466
385/55 R 22.5	160K (158L)	M+S, 3PMSF	B	B	70	A	https://eprel.ec.europa.eu/qr/481276
385/55 R 22.5	160K (158L)	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/482013
385/55 R 22.5	160K (158L)	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/481890
385/55 R 22.5	160K (158L)	M+S, 3PMSF					https://eprel.ec.europa.eu/qr/505928
385/55 R 22.5	158K (160J)	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/505896
385/55 R 22.5	160K	M+S, 3PMSF	C	C	69	A	https://eprel.ec.europa.eu/qr/481420
355/50 R 22.5	156K	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481285
355/50 R 22.5	156K	M+S, 3PMSF	C	C	73	B	https://eprel.ec.europa.eu/qr/482776

TT = Tube-Type

VA = Vorderachse, AA = Antriebsachse, AL = Alle Achsen, T = Trailer

XL/HL = Extra/Heavy Load (erhöhter Last-Index)



Dimension	Betriebskennung	M+S, 3PMSF				EPREL Link		
17.5 Zoll								
205/65 R 17.5	129/127K (132G)	M+S	D	C	69	A	https://eprel.ec.europa.eu/qr/481305	
215/75 R 17.5	135/133K	M+S					Noch nicht verfügbar	
235/75 R 17.5	143/141K (144F)	M+S	C	C	71	B	https://eprel.ec.europa.eu/qr/481469	
245/70 R 17.5	143/141K (144/146F)	M+S	C	C	71	B	https://eprel.ec.europa.eu/qr/481470	
265/70 R 17.5	139/136M	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/525702	
265/70 R 17.5	139/136M	M+S, 3PMSF	D	C	76	B	https://eprel.ec.europa.eu/qr/525707	
19.5 Zoll								
245/70 R 19.5	136/134M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/505935	
245/70 R 19.5	136/134M	M+S, 3PMSF	D	C	74	B	https://eprel.ec.europa.eu/qr/505922	
245/70 R 19.5	141/140K	M+S	C	B	73	B	https://eprel.ec.europa.eu/qr/506213	
265/70 R 19.5	143/141K	M+S	C	B	73	B	Noch nicht verfügbar	
265/70 R 19.5	140/138M	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481421	
285/70 R 19.5	150/148K	M+S	C	B	73	B	https://eprel.ec.europa.eu/qr/505809	
385/55 R 19.5	156J	M+S	B	C	70	A	https://eprel.ec.europa.eu/qr/481256	
435/50 R 19.5	160J	M+S	B	C	72	B	https://eprel.ec.europa.eu/qr/525743	
445/45 R 19.5	160J	M+S	B	C	72	B	Noch nicht verfügbar	
22.5 Zoll								
13 R 22.5	156/150K	M+S, 3PMSF	D	B	70	A	https://eprel.ec.europa.eu/qr/505878	
13 R 22.5	156/150K	M+S, 3PMSF	E	B	75	B	https://eprel.ec.europa.eu/qr/587947	
295/80 R 22.5	152/148M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/525700	
295/80 R 22.5	152/148M	M+S, 3PMSF	D	B	73	A	https://eprel.ec.europa.eu/qr/506330	
295/80 R 22.5	154/149M	M+S, 3PMSF	C	B	69	A	https://eprel.ec.europa.eu/qr/481344	
295/80 R 22.5	154/149M	M+S, 3PMSF					Noch nicht verfügbar	

295/80 R 22.5	152/148M	M+S, 3PMSF						Noch nicht verfügbar
295/80 R 22.5	154/149M	M+S, 3PMSF	B	A	70	A		https://eprel.ec.europa.eu/qr/481316
295/80 R 22.5	152/148M	M+S, 3PMSF	D	C	73	B		https://eprel.ec.europa.eu/qr/505921
295/80 R 22.5	154/149M	M+S, 3PMSF	C	A	70	A		https://eprel.ec.europa.eu/qr/481274
295/80 R 22.5	152/148M	M+S, 3PMSF	D	C	73	B		https://eprel.ec.europa.eu/qr/505923
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	69	A		https://eprel.ec.europa.eu/qr/481284
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	D	B	73	A		https://eprel.ec.europa.eu/qr/602338
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	69	A		https://eprel.ec.europa.eu/qr/481260
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	72	A		https://eprel.ec.europa.eu/qr/483155
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A		https://eprel.ec.europa.eu/qr/505909
315/80 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	C	73	A		https://eprel.ec.europa.eu/qr/505925
315/80 R 22.5	156/150K	M+S, 3PMSF	C	B	70	A		https://eprel.ec.europa.eu/qr/505949
315/80 R 22.5	156/150K	M+S, 3PMSF	D	B	76	B		https://eprel.ec.europa.eu/qr/525703
275/70 R 22.5	150/145J (152/148E)	M+S, 3PMSF	D	B	70	A		https://eprel.ec.europa.eu/qr/505828
275/70 R 22.5	152/148J	M+S, 3PMSF	D	B	70	A		https://eprel.ec.europa.eu/qr/505805
275/70 R 22.5	150/145J (152/148E)	M+S, 3PMSF	D	C	73	B		https://eprel.ec.europa.eu/qr/506328
275/70 R 22.5	150/145J (152/148E)	M+S, 3PMSF	D	C	75	B		https://eprel.ec.europa.eu/qr/525738
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A		https://eprel.ec.europa.eu/qr/506193
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	C	B	73	A		https://eprel.ec.europa.eu/qr/482592
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	B	B	69	A		https://eprel.ec.europa.eu/qr/481272
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	B	B	72	A		https://eprel.ec.europa.eu/qr/483005
315/70 R 22.5	156/150L (154/150M)	M+S, 3PMSF	C	B	70	A		https://eprel.ec.europa.eu/qr/505910
315/70 R 22.5	154/150L (152/148M)	M+S, 3PMSF	C	C	73	A		https://eprel.ec.europa.eu/qr/505883
385/65 R 22.5	160K (158L)	M+S, 3PMSF	C	B	71	A		https://eprel.ec.europa.eu/qr/481760
385/65 R 22.5	160K (158L)	M+S	B	B	70	A		https://eprel.ec.europa.eu/qr/481252
385/65 R 22.5	164K	M+S	B	B	70	A		https://eprel.ec.europa.eu/qr/505930
385/65 R 22.5	164K	M+S, 3PMSF	C	B	71	A		https://eprel.ec.europa.eu/qr/505806
385/65 R 22.5	160K (158L)		A	C	69	A		https://eprel.ec.europa.eu/qr/481278
385/65 R 22.5	160K (158L)	M+S	C	B	72	B		https://eprel.ec.europa.eu/qr/525768
295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	69	A		https://eprel.ec.europa.eu/qr/481261
295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	72	A		https://eprel.ec.europa.eu/qr/483006
295/60 R 22.5	150/147L	M+S, 3PMSF	C	B	73	A		https://eprel.ec.europa.eu/qr/482557
315/60 R 22.5	154/150L	M+S, 3PMSF	B	B	70	A		https://eprel.ec.europa.eu/qr/481345

315/60 R 22.5	154/150L	M+S, 3PMSF	C	B	70	A	https://eprel.ec.europa.eu/qr/481251
315/60 R 22.5	152/148L	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/482465
295/55 R 22.5	147/145K	M+S, 3PMSF	C	B	72	A	https://eprel.ec.europa.eu/qr/506327
295/55 R 22.5	147/145K	M+S, 3PMSF	C	B	73	A	https://eprel.ec.europa.eu/qr/505948
385/55 R 22.5	160K (158L)	M+S, 3PMSF	C	B	73	B	https://eprel.ec.europa.eu/qr/506329
385/55 R 22.5	160K (158L)	M+S	B	B	70	A	https://eprel.ec.europa.eu/qr/481253
385/55 R 22.5	160K (158L)	M+S, 3PMSF	C	B	71	A	https://eprel.ec.europa.eu/qr/505911
355/50 R 22.5	156K	M+S, 3PMSF	C	C	70	A	https://eprel.ec.europa.eu/qr/481411

VA = Vorderachse, AA = Antriebsachse, AL = Alle Achsen, T = Trailer
 XL/HL = Extra/Heavy Load (erhöhter Last-Index)